

10/566368

IAP5 Rec'd PCT/PTO 30 JAN 2006

Procedural Amendment

(Amendment under Article 11 of the Law)

To: The Examiner of the Patent Office

5

1. Identification of the International Application  
PCT/JP2004/011185

2. Applicant

10           Name               SUMITOMO ELECTRONIC INDUSTRIES, LIMITED  
             Address           5-33, Kitahama 4-chome, Chuo-ku,  
                                 Osaka-shi, Osaka 541-0041 Japan  
             Nationality       Japan  
             Residence         Japan

15

3. Agent

             Name             :   (7881) Patent Attorney JODAI Tetsuji  
             Address          :   601 Newlife Koraibashi, 3-32,  
                                 Higashikoraibashi, Chuo-ku, Osaka-shi,  
20                               Osaka 540-0039 Japan

4. Object of Amendment

The Specification and The Claims

25 5. Details of Amendment

(1) In the Table 3 of the Specification page 28, "Ex. 4" has

been replaced with "Com. Ex. 9", and "Ex. 6" has been replaced with "Com. Ex. 10".

(2) In the Table 4 of the Specification page 29, "Ex. 7" has been replaced with "Com. Ex. 11", and "Ex. 8" has been replaced with "Com. Ex. 12".

(3) In the Table 5 of the Specification page 30, "Ex. 13" has been replaced with "Com. Ex. 13".

(4) Claim 1 in page 36 has been amended to read "A halogen free flame retardant cable comprising at least one insulated wire, an inner sheath covering the at least one insulated wire and an outer sheath covering the inner sheath, wherein the inner sheath includes a polyolefin resin or a resin composition mainly composed of the polyolefin resin; the outer sheath includes a crosslinked resin mixture of a thermoplastic polyurethane elastomer and a thermoplastic polyester elastomer or a crosslinked product of a resinous composition mainly composed of the mixture; the inner sheath further includes a flame retardant composed of aluminum hydroxide and/or magnesium hydroxide in an amount of 30 ~ 120 parts by weight per 100 parts by weight of the polyolefinic resin; and the outer sheath further includes at least one flame retardant selected from the group consisting of metal hydroxides and nitrogenous flame retardants in an amount of 3 ~ 35 parts by weight per 100 parts by weight of the crosslinked product."

(5) Claim 3 in page 36 has been canceled.

6. List of Attached Documents

- (1) The Specification page 28, 29 and 30
- (2) The Claims page 36 to page 38